



Installation Instructions

Complete Kit Park Assist

(parking aid available)

Audi Q3 F3

v1.0 (30.01.2019)

Contents

1	Liability Exclusion	3
2	Copy Right	4
3	General notes	4
4	Safety instructions	5
5	Requirements for the determinable operation	5
6	How to connect a cable to another	6
7	Note Cable Inscription/Color	7
8	Assembly Instructions	8
9	Disassembly front bumper	9
10	Disassembly rear bumper	11
11	Disassembly dashboard cover driver's side	13
12	Disassembly A-column covering / sill trim driver's side	15
13	Disassembly trunk covering driver's side	17
14	Cable routing from driver's footwell to back	19
15	Cable routing from driver's footwell to front bumper	21
16	Assembly park assist sensors to rear bumper	22
17	Assembly park assist sensors to front bumper	24
18	Replacement/Connection keypad	26
19	Connection cable to PDC control unit	28
20	Functional test park assist	30
21	Notes for troubleshooting	30
22	Coding with Coding Interface	31
23	Coding Interface	31
24	Bus rest	31
25	Connection/troubleshooting cable set	33
26	Connection/troubleshooting cable set	34

8 Assembly Instructions

The following illustration shows the cable routing as well as the position of the individual components.




Figure 3: Vehicle overview

- 1 Rear sensors
- 2 Park assist control unit
- 3 Front sensors

Notes for assembling the vehicle

- Before you start assembling the vehicle, the system must first be tested for proper function.