



Installation Instructions

Retrofit Front Camera VW Tiguan 5N

v1.1 (20.11.2018)

Contents

1	Liability Exclusion	3
2	Copy Right	4
3	General notes	4
4	Safety instructions	5
5	Requirements for the determinable operation	5
6	How to connect a cable to another	6
7	Note Cable Inscription/Color	7
8	Safety Instructions for working on Airbags	8
9	Assembly instructions	9
10	Removing the interior light	10
11	Removing dashboard lining on driver's side	11
12	Removing upper a-pillar panelling on driver's side	13
13	Installation front camera	14
14	Cable routing to the control unit	15
15	Cable connection with control unit / Ground	16
16	Terminal coding	18
17	Bus rest	18

8 Safety Instructions for working on Airbags

Working on Airbag systems has to be executed exclusively by especially trained qualified personnel.

Notes for working on Airbag systems:

- Remove the ignition key and disconnect the battery.
- Wait at least 5 minutes. Only then you can work on the Airbag systems.
- Discharge yourself before you work on an Airbag unit by touching the latch of the door.
- Airbag units which have been removed are always put down face up.
- During the works on the Airbag system you have to be very careful.
- Additionally, the safety notes of the corresponding manufacturer are valid.

Kufatec GmbH & Co. KG does not assume liability in any case of damage!